



State of Utah
Monument Replacement and
Restoration Committee
4315 South 2700 West
Taylorsville, UT 84129

For Committee Use Only

Application No. _____

Date Filed: _____

GRANT APPLICATION

Applicant Information

Applicant agency Cache County Corp
Street 179 N. Main St
City Logan State UT Zip 84321
Contact person Cary Jenkins
Phone 435-755-1644 Fax _____
Email cary.jenkins@cachecounty.gov
Presiding official Matt Phillips
Title Public Works Director
Phone 435-755-1639
Email matt.phillips@cachecounty.gov
Project surveyor Jeff Nielson
Phone 435-753-1910
Email jeff@foresightsurvey.com

Proposed Funding

Total project cost \$34,000.00
Total MRRC funds requested \$28,000.00
Other project funding (specify) \$ 6,000.00 in kind

Attachment checklist

1. Description of the problem or situation to be addressed and how the proposed project will remedy the problem. A superior project description will thoroughly address each category of the Committee's Evaluation Criteria.
2. Map of the project area.
3. Cost estimate. Itemization of expenditures is encouraged. Include cost sharing if applicable.

Presiding official signature

I, Matt Phillips, the Public Works Director
(typed name) (typed title)

of Cache County Corp.
(typed name of applicant agency)

do hereby certify the information in this application is accurate and correct to the best of my knowledge and this application has been authorized by the applicant agency.

Matt Phillips
(signature)

5/10/2024
(date)



CACHE COUNTY SECTION CORNER PROJECT

A GRANT PROPOSAL TO: State of Utah Monument
Replacement and Restoration Committee (MRRC)

APPLICANT: Cache County, Utah

DATE: 5/10/2024

CACHE COUNTY SECTION CORNER PROJECT

Grant 3 Peavine Road Corners

SUMMARY

Cache County developed a monument preservation program where valley floor monuments are given the highest priority. The valley floor reflects where most of our growth is occurring. While in recent years past the County has worked heavily within Priority 2A (*Image 1*), our mountainous region, the County feels it's important to pay attention to the mountainous region once again due the development and growth we have seen over the last few years. With the help of monies from the Survey Monument Replacement and Restoration County Grant Program, Cache County would be able to accomplish significant monument preservation and locating in our Priority 2A and 2B (*Image 1*) area.

THE PROBLEM

Cache County has identified 21 corners in Cache County that will need to be surveyed and dedicated to the county. Finding and preserving the sections in these areas will allow us to create those survey documents. We are searching for original stones for many of these locations that need preservation. Goals we hope to accomplish with this grant is to tie down monuments to facilitate future surveying of county roads and to preserve found original stones.

Our focus with this grant is located on the mountain areas near county roads and private land holdings. It's in the County's best interest to get these corners established before more growth and larger disputes begin to happen. Researching, verifying and reestablishing these corners will allow us to properly monument and produce tie sheets with measured latitudes and longitudes preserving the corners in the long term.

THE WORKFLOW

Jeff Nielson P.L.S. of Foresight Surveying will turn in corner data, set forth in "*Attachment C Field Procedures*" of the *Public Land Survey System (PLSS) Grant Program* to the County's GIS division. The GIS division will be responsible for creating the corner tie sheets See: *Image 2: Tie Sheet 574*. Corner tie sheets meet and will continue to meet tie sheet standards set forth in "*Attachment D*" of the *Public Land Survey System (PLSS) Grant Program*. Corner tie sheets are then published to the public via the County's Section Corner & Survey Web Mapping Application (<https://gis.cachecounty.gov/websites/surveyviewer/>).

OUR GOALS

Cache County has already made significant improvements on perpetuation and preservation within the valley floor. Cache County has used its own funds to complete perpetuation of monuments already existing on the valley floor. Once existing corners have been perpetuated, the focus will shift to locating corners with limited to no data and/or tie sheet within our Priority Areas 1B and 2B.

1. Complete Priority 1A - Existing section corners on the valley floor in need of perpetuation
 - a. Perpetuation Completed = 932
 - b. Needs to be Perpetuated = 183*
2. Priority 1B - General area of the valley floor where section corners have not as of yet been located and limited to no data exists. Unknown count of section corners that can be reasonably placed (limitations of data, accessibility and usefulness)
3. Priority 2A – Existing section corners in the mountainous areas in need of perpetuation
 - a. Perpetuation Completed = 158
 - b. Needs to be Perpetuated = 847*
4. Priority 2B – General area of the mountainous areas where section corners have not been located and limited to no data exists. Unknown count of section corners that can be reasonably placed (limitations of data, accessibility, and usefulness)

*note: the above “needs to be perpetuated” numbers will fluctuate as more once unknown/missing corners are included.

OUR GOAL FOR THE 2025 GRANT

1. Priority 2A – Existing section corners near private land holdings adjacent to public lands
 - a. Perpetuate with 2025 grant = 10 Corners
2. Complete Priority 1A - Existing section corners on the valley floor in need of perpetuation.
 - a. Perpetuate with 2025 grant = 10 Corners
3. Priority 1B - General area of the valley floor where section corners have not as of yet been located and limited to no data exists.
 - a. Perpetuate with 2025 grant = 1 Corner

BUDGET

It is estimated that these 21 section corners within Priority 1A, 1B, and 2A, can be perpetuated. The County estimates this can be accomplished at a cost near \$34,000.00

Priority 1A/2A: Existing damaged/missing corners requiring additional repairs

Materials

1. 4 Rebar Reference Points \$1.67 each (\$6.68)
2. 4 plastic caps \$0.26 each (\$1.04)
3. Aluminum survey caps \$9.80 each
4. Aluminum survey Monument Domed Cap \$62.50 each

Materials total \approx \$80.02 per corner depending what cap is set.

Labor

1. Surveying work, data compilation and record of surveys tied to corners research \approx 13 hours each = \$1,539.03

Materials and Labor Total = \$1619.05 per corner.

This project is scalable to the amount of funding made available (more section corners can be added with additional funding and/or less corners with less funding).

County Resources/Match

The County is also putting financial and in kind effort into this project and request. While Cache County is seeking funds to finalize perpetuation of monuments in Priority 1A, the County has allocated funding to 1) pay unique material costs for Priority 1A (concrete, flow able fill, etc.) and 2) in kind staff time for tie sheet creation and 3) cash match.

1. Tie sheet preparation 21 @ \approx 1 hour each @ \$60.00 per hour = \$1260.00 (in kind)
2. Cash contribution \$4,740 + out of pocket expense for unique materials

Match Total = \$6,000.00

For this round of funding Cache County is hoping to perpetuate 21 section corners (*See Image 3: Section Corner Project Area Map*)

The estimated total cost to complete perpetuation on these 21 section corners is \approx \$34,000.00.

CONCLUSION

Cache County has made significant improvements to existing section corner data and tie sheets among the valley floor. The *Cache County Section Corner & Survey Web Mapping Application* is one of the County's most popular and useful tools to surveyors, realtors, title companies, cities, and the general public. As the County transitions into a more financially burdensome phase of the project the requested financial assistance will greatly improve the project's success. The County hopes to provide the PLSS with better quality section corner data as well as create an environment to receive higher quality land surveys and avoid property disputes.




Image 1: Cache County Section Corner Summary Map



Cache County Monument Record Sheet

Cache County
Corner ID # **574**

BLM Point Name		Contact Name	License Number	Date																																																																																											
UT260140N0010W0_300400		Jeff C. Nielsen	5152661	2/27/2015																																																																																											
Corner of Section		Map View Photo or Sketch																																																																																													
300400																																																																																															
Township and Range																																																																																															
T14N R1W																																																																																															
Base and Meridian																																																																																															
Salt Lake																																																																																															
State	County																																																																																														
UT	Cache County																																																																																														
Geographic Coordinates																																																																																															
Latitude (DMS)	41°56'47.4138"N																																																																																														
Longitude (DMS)	-111°58'23.5956"W																																																																																														
Ellipsoid Height																																																																																															
Grid Coordinates																																																																																															
Northing	3868950.9340																																																																																														
Easting	1511674.9840																																																																																														
Horizontal Units	feet																																																																																														
Ortho Elevation	4558.135																																																																																														
Coordinate System	Zone																																																																																														
NAD83 State Plane	UT North																																																																																														
Datum																																																																																															
WGS84																																																																																															
Vertical Units																																																																																															
12A																																																																																															
Vertical Datum																																																																																															
NAVD89																																																																																															
Monument Status																																																																																															
Existing																																																																																															
Section Corner Location																																																																																															
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td>100700</td><td>300700</td><td>300700</td><td>400700</td><td>500700</td><td>600700</td><td>700700</td> </tr> <tr> <td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td><td></td> </tr> <tr> <td>100600</td><td>200600</td><td>300600</td><td>400600</td><td>500600</td><td>600600</td><td>700600</td> </tr> <tr> <td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td></td> </tr> <tr> <td>100500</td><td>200500</td><td>300500</td><td>400500</td><td>500500</td><td>600500</td><td>700500</td> </tr> <tr> <td>18</td><td>17</td><td>16</td><td>15</td><td>14</td><td>13</td><td></td> </tr> <tr> <td>100400</td><td>200400</td><td>300400</td><td>400400</td><td>500400</td><td>600400</td><td>700400</td> </tr> <tr> <td>19</td><td>20</td><td>21</td><td>22</td><td>23</td><td>24</td><td></td> </tr> <tr> <td>100300</td><td>200300</td><td>300300</td><td>400300</td><td>500300</td><td>600300</td><td>700300</td> </tr> <tr> <td>30</td><td>29</td><td>28</td><td>27</td><td>26</td><td>25</td><td></td> </tr> <tr> <td>100200</td><td>200200</td><td>300200</td><td>400200</td><td>500200</td><td>600200</td><td>700200</td> </tr> <tr> <td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td></td> </tr> <tr> <td>100100</td><td>200100</td><td>300100</td><td>400100</td><td>500100</td><td>600100</td><td>700100</td> </tr> </table>		100700	300700	300700	400700	500700	600700	700700	6	5	4	3	2	1		100600	200600	300600	400600	500600	600600	700600	7	8	9	10	11	12		100500	200500	300500	400500	500500	600500	700500	18	17	16	15	14	13		100400	200400	300400	400400	500400	600400	700400	19	20	21	22	23	24		100300	200300	300300	400300	500300	600300	700300	30	29	28	27	26	25		100200	200200	300200	400200	500200	600200	700200	31	32	33	34	35	36		100100	200100	300100	400100	500100	600100	700100	Additional Notes Reference Points 373 3868947.006 1511653.292 CACHE RBR CAP 374 3869007.57 1511680.266 CACHE RBR CAP 375 3868839.31 1511671.011 CACHE RBR CAP		
100700	300700	300700	400700	500700	600700	700700																																																																																									
6	5	4	3	2	1																																																																																										
100600	200600	300600	400600	500600	600600	700600																																																																																									
7	8	9	10	11	12																																																																																										
100500	200500	300500	400500	500500	600500	700500																																																																																									
18	17	16	15	14	13																																																																																										
100400	200400	300400	400400	500400	600400	700400																																																																																									
19	20	21	22	23	24																																																																																										
100300	200300	300300	400300	500300	600300	700300																																																																																									
30	29	28	27	26	25																																																																																										
100200	200200	300200	400200	500200	600200	700200																																																																																									
31	32	33	34	35	36																																																																																										
100100	200100	300100	400100	500100	600100	700100																																																																																									
		Monument Area Photo 		Monument Close-up Photo 																																																																																											
Monument Description		Found cache county plastic cap on 5/8" rebar, 12" below grade, good condition, reset RPs 1,2&3 with 5/8" x 24" rebar & cache cap.		<small>Cache County makes no guarantees, representations, or warranties of any kind, express or implied, as to the content, accuracy, timeliness, or completeness of any of the data. Cache County reserves the right to make changes to the data at anytime without notice.</small>																																																																																											



Image 2: Tie Sheet 574

Image 3: Section Corner Project Area Map

